

AKÖMA™

FROM THE HEART

MATERIAL SAFETY DATA SHEET

1 - Identification of Product and Supplier

Product Name: **Acai Berry Oil, Cold Pressed**
Supplier: **Akoma International (UK) LTD**
Unit 9A Sawley Park
Nottingham Road
Derby
DE21 6AS
Tel: +44 (0) 1332 613 967

Emergency Contact: Mr. Wynn Mensah – Tel: 01332 613 967

2 - Hazards identification:

Observe good housekeeping procedures.

3 - Composition and information on ingredients:

INCI name: **Euterpe Oleracea Fruit Oil**
Definition/Botanical Origin: Euterpe Oleracea Fruit Oil is the oil expressed from the fruit of the Cabbage Palm, *Euterpe oleracea*, *Arecaceae*.

H-No:
CAS No: 68956-68-3 Status: Natural
CoE No: FEMA:
Additives: None FDA:
IFRA: Not restricted EINECS:
Application: Cosmetics, skin care, aromatherapy

4 - First aid measures:

Inhalation: Remove from exposure site to fresh air. Keep at rest. Obtain medical attention.
Eye contact: Rinse immediately with plenty of water for at least 15 minutes. Contact a doctor if symptoms persist.
Skin contact: Remove contaminated clothes. Wash thoroughly with soap & water, flush with plenty of water. If irritation persists, seek medical advice.
Ingestion: Product is not considered hazardous. Seek medical advice in case of any adverse effects.

Page 1 of 4

Akoma International (UK) LTD

Unit 9A Sawley Park
Nottingham Road
Derby
DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Acai Berry Oil - MSDS

Other: When assessing action take Risk & Safety Phrases into account (Section 15)

5 - Fire - Fighting measures:

Extinguishing media Use CO₂, Dry Powder or Foam type Extinguishers, spraying recommended: extinguishing media to base of flames. Do not use direct water jet on burning material.

Special measures: Avoid vapour inhalation. Keep away from sources of ignition. Do not smoke. Wear positive pressure self-contained breathing apparatus & protective clothing.

Extinguishing procedures: Closed containers may build up pressure when exposed to heat and should be cooled with water spray.

6 - Accidental release measures:

Personal precautions: Avoid inhalation & direct contact with skin & eyes. Use individual protective equipment (safety glasses, waterproof-boots, suitable protective clothing) in case of major spillages.

Environment precautions: Keep away from drains, soils, surface & ground waters.

Cleaning up methods: Remove all potential ignition sources. Contain spilled material.

Cover for spillages: With an inert or non-combustible inorganic absorbent material, sweep up and remove to an approved disposal container. Observe state, federal & local disposal regulations.

7 - Handling and storage:

Precautions in handling: Apply good manufacturing practice & industrial hygiene practices, ensuring proper ventilation. Observe good personal hygiene, and do not eat, drink or smoke whilst handling.

Storage conditions: Store in tightly closed original container, in a cool, dry & ventilated area away from heat sources & protected from light. Keep air contact to a minimum.

Fire protection: Keep away from ignition sources & naked flames. Take precautions to avoid static discharges in working area.

8 - Exposure controls and personal protection:

Respiratory protection: Avoid breathing product vapour, wear self-contained breathing apparatus. Apply local ventilation where possible.

Ventilation: Ensure good ventilation of working area.

Hand protection: Avoid all skin contact. Use chemically resistant gloves if required.

Eye protection: Use safety glasses.

Work/Hygiene practices: Wash hands with soap & water after handling.

9 - Physical data and chemical properties:

APPEARANCE	Liquid yellow to greenish
ODOUR	Characteristic
SPECIFIC GRAVITY @ 20°C	0.916
REFRACTIVE INDEX @ 20°C	1.471
FREE FATTY ACIDS (as Oleic)	1.47
PEROXIDE VALUE	22.97

SAPONIFICATION VALUE	176.9
IODINE VALUE	106.69
SOLUBILITY IN WATER	Insoluble

10 - Stability and Reactivity:

Reactivity:	It presents no significant reactivity hazards, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidising agents.
Decomposition:	None (thermal decomposition products are H2O and CO2).

11 - Toxicological information:

No known data

12 - Ecological information:

Biodegradability:	Product is expected to be biodegradable
Precautions:	Prevent surface contamination of soil, ground & surface water.

13 - Disposal considerations:

Avoid disposing to drainage systems and into the environment. Seek expert advice.

14 - Transport information:

Road (ADR/RID):	N/A
AIR (IATA):	N/A
SEA (IMDG):	N/A
CHIP:	See section 15
Hazards:	N/A
Symbols:	N/A
Risk Phrases:	N/A
Safety Phrases:	N/A

15 - Regulatory information:

Safety, health and environmental regulations/legislation specific for the substance or mixture

U Directives	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18th Dec 2006 Concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 199/45/EC and repealing Council Regulation Council Regulation (EEC) No793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, and 93/105/EEC and 2000/21/EC including amendments.
--------------	---

Akoma International (UK) LTD

Unit 9A Sawley Park
Nottingham Road
Derby
DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Statutory Instruments	The Chemicals (Hazard Information and Packaging for Supply Regulations 2009 (S.I. 2009 No 716).
Approved Code of Practice	Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations
Guidance Notes	Workplace Exposure Limits EH40. CHIP for everyone HSG 108.

Chemical safety assessment

An assessment has not been executed as this is not a hazardous material according to article 31 of REACH 1907/2006.

16 - Other information:

Cosmetics Directive – 7th Amendment – Not restricted

PACKAGING:

TYPE	SUITABILITY
Glass	Yes
Lacquer lined steel/tin	Yes
Aluminum	Yes
HPPE	Yes
F/HDPE	Yes
Other Plastic	Yes

SHELF LIFE

When stored within advised conditions, re-test after 12 months then at 6 monthly intervals up to a maximum shelf life of 24 months.

Training instructions: Refer to possible hazard before use of this product.

Q.C. REQUIREMENTS

In-line with general product specification. Always satisfy suitability for specific application.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding it's' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.

Revised: 29.05.16

Akoma International (UK) LTD

Unit 9A Sawley Park
Nottingham Road
Derby
DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com